



**T2,5-AT2,5**  
**PİLOT DELİKLİ / Pilot Bore**

T2,5-AT2,5		Kayış Geniřlięi 4-6 mm For Belt Widths 4-6 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
10	7.96	10	0F	-	3	10	10	16
11	8.75	12	0F	-	3	11	10	16
12	9.54	13	0F	-	4	13	10	16
13	10.35	14	0F	-	4	14	10	16
14	11.14	15	0F	-	5	15	10	16
15	11.94	15	0F	-	6	15	10	16
16	12.73	16	0F	-	7	16	10	16
17	13.53	17	0F	4	7	16	10	16
18	14.32	18	1F	4	7	10	10	16
19	15.12	18	1F	4	7	10	10	16
20	15.92	20	1F	4	7	11	10	16
21	16.71	20	1F	4	7	11	10	16
22	17.51	23	1F	4	7	10	10	16
23	18.3	23	1F	4	8	12	10	16
24	19.1	23	1F	4	8	12	10	16
25	19.89	25	1F	4	9	13	10	16
26	20.69	25	1F	4	9	14	10	16
27	21.49	25	1F	4	9	14	10	16
28	22.28	28	1F	4	9	14	10	16
30	23.87	32	1F	6	10	16	10	16
32	25.46	36	1F	6	10	16	10	16
35	27.85	36	1F	6	10	18	10	16
36	28.65	38	1F	6	13	20	10	16
38	30.24	38	1F	6	13	22	10	16
40	31.83	42	1F	6	13	22	10	16
42	33.42	-	1	6	15	24	10	16
44	35.01	-	1	6	15	24	10	16
45	35.81	-	1	6	17	26	10	16
48	38.2	-	1	6	17	26	10	16
54	42.97	-	1	6	19	30	10	16
57	45.36	-	1	8	19	32	10	16
60	47.75	-	1	8	22	34	10	16


TYPE 0F



TYPE 1F




TYPE 1




**T2,5-AT2,5**  
**PİLOT DELİKLİ / Pilot Bore**

T2,5-AT2,5		Kayış Geniřlięi 10 mm For Belt Widths 10 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
10	7.96	10	0F	3	3	10	14	20
11	8.75	12	0F	3	3	11	14	20
12	9.54	13	0F	3	4	13	14	20
13	10.35	14	0F	3	4	14	14	20
14	11.14	15	0F	3	5	15	14	20
15	11.94	15	0F	3	6	15	14	20
16	12.73	16	0F	4	7	16	14	20
17	13.53	17	1F	4	7	16	14	20
18	14.32	18	1F	4	7	10	14	20
19	15.12	18	1F	4	7	10	14	20
20	15.92	20	1F	4	7	11	14	20
21	16.71	20	1F	4	7	11	14	20
22	17.51	23	1F	4	7	10	14	20
23	18.3	23	1F	4	8	12	14	20
24	19.1	23	1F	4	8	12	14	20
25	19.89	25	1F	4	9	13	14	20
26	20.69	25	1F	4	9	14	14	20
27	21.49	25	1F	4	9	14	14	20
28	22.28	28	1F	4	9	14	14	20
30	23.87	32	1F	6	10	16	14	20
32	25.46	36	1F	6	10	16	14	20
35	27.85	36	1F	6	10	18	14	20
36	28.65	38	1F	6	13	20	14	20
38	30.24	38	1F	6	13	22	14	20
40	31.83	42	1F	6	13	22	14	20
42	33.42	-	1	6	15	24	14	20
44	35.01	-	1	6	15	24	14	20
45	35.81	-	1	6	17	26	14	20
48	38.2	-	1	6	17	26	14	20
54	42.97	-	1	6	19	30	14	20
57	45.36	-	1	8	19	32	14	20
60	47.75	-	1	8	22	34	14	20


TYPE 0F



TYPE 1F




TYPE 1




**T5-AT5**  
**PİLOT DELİKLİ / Pilot Bore**

T5-AT5		Kayış Geniřlięi 10 mm For Belt Widths 10 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
10	15.92	20	1F	4	5	8	15	21
11	17.51	22	1F	4	6	10	15	21
12	19.1	23	1F	4	7	12	15	21
13	20.69	25	1F	6	8	13	15	21
14	22.29	26	1F	6	9	14	15	21
15	23.88	28	1F	6	10	16	15	21
16	25.47	30	1F	6	11	18	15	21
17	27.06	32	1F	6	12	19	15	21
18	28.65	32	1F	6	13	20	15	21
19	30.25	36	1F	6	14	22	15	21
20	31.83	36	1F	6	15	24	15	21
21	33.42	38	1F	6	15	24	15	21
22	35.01	38	1F	6	15	24	15	21
23	36.61	42	1F	6	16	25	15	21
24	38.21	44	1F	6	17	26	15	21
25	39.8	44	1F	6	17	26	15	21
26	41.45	44	1F	6	17	26	15	21
27	42.98	48	1F	6	19	30	15	21
28	44.56	48	1F	8	20	32	15	21
30	47.76	51	1F	8	22	34	15	21
32	50.94	54	1F	8	24	38	15	21
35	55.7	59	1F	8	24	38	15	21
36	57.31	63	1F	8	24	38	15	21
38	60.48	66	1F	8	26	40	15	21
40	63.66	66	1F	8	26	40	15	21
42	66.84	71	1	8	26	40	15	21
44	70.2	-	1	8	29	45	15	21
45	71.62	-	1	8	31	45	15	21
48	76.69	-	1	8	32	50	15	21
54	85.94	-	1	8	35	55	15	21
57	90.72	-	1	8	38	60	15	21
60	95.49	-	1	8	42	65	15	21

TYPE 1F



TYPE 1




**T5-AT5**


**PİLOT DELİKLİ / Pilot Bore**

T5-AT5		Kayış Geniřlięi 16 mm For Belt Widths 16 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
10	15.92	20	1F	4	5	8	21	27
11	17.51	22	1F	4	6	10	21	27
12	19.1	23	1F	4	7	12	21	27
13	20.69	25	1F	6	8	13	21	27
14	22.29	26	1F	6	9	14	21	27
15	23.88	28	1F	6	10	16	21	27
16	25.47	30	1F	6	11	18	21	27
17	27.06	32	1F	6	12	19	21	27
18	28.65	32	1F	6	13	20	21	27
19	30.25	36	1F	6	14	22	21	27
20	31.83	36	1F	6	15	24	21	27
21	33.42	38	1F	6	15	24	21	27
22	35.01	38	1F	6	15	24	21	27
23	36.61	42	1F	6	16	25	21	27
24	38.21	44	1F	6	17	26	21	27
25	39.8	44	1F	6	17	26	21	27
26	41.45	44	1F	6	17	26	21	27
27	42.98	48	1F	6	19	30	21	27
28	44.56	48	1F	8	20	32	21	27
30	47.76	51	1F	8	22	34	21	27
32	50.94	54	1F	8	24	38	21	27
35	55.7	59	1F	8	24	38	21	27
36	57.31	63	1F	8	24	38	21	27
38	60.48	66	1F	8	26	40	21	27
40	63.66	66	1F	8	26	40	21	27
42	66.84	71	1	8	26	40	21	27
44	70.2	-	1	8	29	45	21	27
45	71.62	-	1	8	31	45	21	27
48	76.69	-	1	8	32	50	21	27
54	85.94	-	1	8	35	55	21	27
57	90.72	-	1	8	38	60	21	27
60	95.49	-	1	8	42	65	21	27

TYPE 1F




TYPE 1




**T5-AT5**  
**PİLOT DELİKLİ / Pilot Bore**

T5-AT5		Kayış Geniřliđi 10 mm For Belt Widths 10 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
10	15.92	20	1F	4	5	8	21	27
11	17.51	22	1F	4	6	10	21	27
12	19.1	23	1F	4	7	12	21	27
13	20.69	25	1F	6	8	13	21	27
14	22.29	26	1F	6	9	14	21	27
15	23.88	28	1F	6	10	16	21	27
16	25.47	30	1F	6	11	18	21	27
17	27.06	32	1F	6	12	19	21	27
18	28.65	32	1F	6	13	20	21	27
19	30.25	36	1F	6	14	22	21	27
20	31.83	36	1F	6	15	24	21	27
21	33.42	38	1F	6	15	24	21	27
22	35.01	38	1F	6	15	24	21	27
23	36.61	42	1F	6	16	25	21	27
24	38.21	44	1F	6	17	26	21	27
25	39.8	44	1F	6	17	26	21	27
26	41.45	44	1F	6	17	26	21	27
27	42.98	48	1F	6	19	30	21	27
28	44.56	48	1F	8	20	32	21	27
30	47.76	51	1F	8	22	34	21	27
32	50.94	54	1F	8	24	38	21	27
35	55.7	59	1F	8	24	38	21	27
36	57.31	63	1F	8	24	38	21	27
38	60.48	66	1F	8	26	40	21	27
40	63.66	66	1F	8	26	40	21	27
42	66.84	71	1	8	26	40	21	27
44	70.2	-	1	8	29	45	21	27
45	71.62	-	1	8	31	45	21	27
48	76.69	-	1	8	32	50	21	27
54	85.94	-	1	8	35	55	21	27
57	90.72	-	1	8	38	60	21	27
60	95.49	-	1	8	42	65	21	27

TYPE 1F




TYPE 1




**T5-AT5**  
**PİLOT DELİKLİ / Pilot Bore**

T5-AT5		Kayış Geniřlięi 16 mm For Belt Widths 16 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
10	15.92	20	1F	4	5	8	30	36
11	17.51	22	1F	4	6	10	30	36
12	19.1	23	1F	4	7	12	30	36
13	20.69	25	1F	6	8	13	30	36
14	22.29	26	1F	6	9	14	30	36
15	23.88	28	1F	6	10	16	30	36
16	25.47	30	1F	6	11	18	30	36
17	27.06	32	1F	6	12	19	30	36
18	28.65	32	1F	6	13	20	30	36
19	30.25	36	1F	6	14	22	30	36
20	31.83	36	1F	6	15	24	30	36
21	33.42	38	1F	6	15	24	30	36
22	35.01	38	1F	6	15	24	30	36
23	36.61	42	1F	6	16	25	30	36
24	38.21	44	1F	6	17	26	30	36
25	39.8	44	1F	6	17	26	30	36
26	41.45	44	1F	6	17	26	30	36
27	42.98	48	1F	6	19	30	30	36
28	44.56	48	1F	8	20	32	30	36
30	47.76	51	1F	8	22	34	30	36
32	50.94	54	1F	8	24	38	30	36
35	55.7	59	1F	8	24	38	30	36
36	57.31	63	1F	8	24	38	30	36
38	60.48	66	1F	8	26	40	30	36
40	63.66	66	1F	8	26	40	30	36
42	66.84	71	1	8	26	40	30	36
44	70.2	-	1	8	29	45	30	36
45	71.62	-	1	8	31	45	30	36
48	76.69	-	1	8	32	50	30	36
54	85.94	-	1	8	35	55	30	36
57	90.72	-	1	8	38	60	30	36
60	95.49	-	1	8	42	65	30	36

TYPE 1F




TYPE 1




**T10-AT10**  
**PİLOT DELİKLİ / Pilot Bore**

T10-AT10		Kayış Geniřliđi 16 mm For Belt Widths 16 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
12	38.2	42	1F	6	18	27	21	31
13	41.38	44	1F	6	19	32	21	31
14	44.56	48	1F	8	21	32	21	31
15	47.75	51	1F	8	21	32	21	31
16	50.93	54	1F	8	23	35	21	31
17	54.11	58	1F	8	24	38	21	31
18	57.29	60	1F	8	26	40	21	31
19	60.48	66	1F	8	28	44	21	31
20	63.66	66	1F	8	30	46	21	31
21	66.85	71	1F	8	36	48	21	31
22	70.03	75	1F	8	34	52	21	31
23	73.21	77	1F	8	36	55	21	31
24	76.39	83	1F	8	38	58	21	31
25	79.58	83	1F	8	39	60	21	31
26	82.76	87	1F	8	39	60	21	31
27	85.95	91	1F	8	39	60	21	31
28	89.25	93	1F	8	39	60	21	31
30	95.49	99	1F	8	39	60	21	31
32	101.86	106	1F	10	42	65	21	31
35	111.41	115	1F	10	45	70	21	31
36	114.59	119	1F	10	45	70	21	31
38	120.96	125	1F	10	48	75	21	31
40	127.32	131	1F	10	52	80	21	31
42	133.69	-	1	10	52	80	21	31
44	140.06	-	1	10	57	88	21	31
45	143.24	-	1	16	57	90	21	31
48	152.78	-	1	16	62	95	21	31
54	171.89	-	1	16	66	100	21	31
57	181.44	-	1	16	66	110	21	31
60	190.98	-	1	16	72	110	21	31

TYPE 1F



TYPE 1




**T10-AT10**


**PİLOT DELİKLİ / Pilot Bore**

T10-AT10		Kayış Geniřlięi 25 mm For Belt Widths 25 mm						
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
12	38.2	42	1F	6	18	27	30	40
13	41.38	44	1F	6	19	32	30	40
14	44.56	48	1F	8	21	32	30	40
15	47.75	51	1F	8	21	32	30	40
16	50.93	54	1F	8	23	35	30	40
17	54.11	58	1F	8	24	38	30	40
18	57.29	60	1F	8	26	40	30	40
19	60.48	66	1F	8	28	44	30	40
20	63.66	66	1F	8	30	46	30	40
21	66.85	71	1F	8	36	48	30	40
22	70.03	75	1F	8	34	52	30	40
23	73.21	77	1F	8	36	55	30	40
24	76.39	83	1F	8	38	58	30	40
25	79.58	83	1F	8	39	60	30	40
26	82.76	87	1F	8	39	60	30	40
27	85.95	91	1F	8	39	60	30	40
28	89.25	93	1F	8	39	60	30	40
30	95.49	99	1F	8	39	60	30	40
32	101.86	106	1F	10	42	65	30	40
35	111.41	115	1F	10	45	70	30	40
36	114.59	119	1F	10	45	70	30	40
38	120.96	125	1F	10	48	75	30	40
40	127.32	131	1F	10	52	80	30	40
42	133.69	-	1	10	52	80	30	40
44	140.06	-	1	10	57	88	30	40
45	143.24	-	1	16	57	90	30	40
48	152.78	-	1	16	62	95	30	40
54	171.89	-	1	16	66	100	30	40
57	181.44	-	1	16	66	110	30	40
60	190.98	-	1	16	72	110	30	40

TYPE 1F



TYPE 1







**T10-AT10**  
**PİLOT DELİKLİ / Pilot Bore**

T10-AT10			Kayış Geniřliđi 32 mm For Belt Widths 32 mm					
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
18	57.29	60	1F	10	26	40	37	47
19	60.48	66	1F	10	28	44	37	47
20	63.66	66	1F	12	30	46	37	47
21	66.85	71	1F	12	36	48	37	47
22	70.03	75	1F	12	34	52	37	47
23	73.21	77	1F	12	36	55	37	47
24	76.39	83	1F	12	38	58	37	47
25	79.58	83	1F	12	39	60	37	47
26	82.76	87	1F	12	39	60	37	47
27	85.95	91	1F	12	39	60	37	47
28	89.25	93	1F	12	39	60	37	47
30	95.49	99	1F	12	39	60	37	47
32	101.86	106	1F	12	42	65	37	47
35	111.41	115	1F	16	45	70	37	47
36	114.59	119	1F	16	45	70	37	47
38	120.96	125	1F	16	48	75	37	47
40	127.32	131	1F	16	52	80	37	47
42	133.69	-	1	16	52	80	37	47
44	140.06	-	1	16	57	88	37	47
45	143.24	-	1	16	57	90	37	47
48	152.78	-	1	16	62	95	37	47
54	171.89	-	1	16	66	100	37	47
57	181.44	-	1	16	66	110	37	47
60	190.98	-	1	16	72	110	37	47

TYPE 1F




TYPE 1



**T10-AT10**  
**PİLOT DELİKLİ / Pilot Bore**

T10-AT10			Kayış Geniřlięi 50 mm For Belt Widths 50 mm					
Diř SAYISI Teeth No	ÇAP Diameter		TİP Type	DELİK Bore		BOYUTLAR Dimension		
	P.D	A		Min.	Max.	H	F	L
	mm	mm		mm	mm	mm	mm	mm
18	57.29	60	1F	10	26	40	56	66
19	60.48	66	1F	10	28	44	56	66
20	63.66	66	1F	12	30	46	56	66
21	66.85	71	1F	12	36	48	56	66
22	70.03	75	1F	12	34	52	56	66
23	73.21	77	1F	12	36	55	56	66
24	76.39	83	1F	12	38	58	56	66
25	79.58	83	1F	12	39	60	56	66
26	82.76	87	1F	12	39	60	56	66
27	85.95	91	1F	12	39	60	56	66
28	89.25	93	1F	12	39	60	56	66
30	95.49	99	1F	12	39	60	56	66
32	101.86	106	1F	12	42	65	56	66
35	111.41	115	1F	16	45	70	56	66
36	114.59	119	1F	16	45	70	56	66
38	120.96	125	1F	16	48	75	56	66
40	127.32	131	1F	16	52	80	56	66
42	133.69	-	1	16	52	80	56	66
44	140.06	-	1	16	57	88	56	66
45	143.24	-	1	16	57	90	56	66
48	152.78	-	1	16	62	95	56	66
54	171.89	-	1	16	66	100	56	66
57	181.44	-	1	16	66	110	56	66
60	190.98	-	1	16	72	110	56	66

TYPE 1F



TYPE 1

