



WE ADD MOVEMENT
TO YOUR POWER



CATALOG
2022

V KAYIŞ KASNAKLARI
V BELT PULLEYS

V KAYIŞ KASNAKLARININ DEZ AVANTAJLARI (DISADVANTAGES OF THE V BELT PULLEYS)



V KAYIŞ KASNAKLARININ DEZAVANTAJLARI

V KAYIŞ KASNAKLARININ DEZAVANTAJLARI

Piyasadan aldığımız V kayışların boylarının, sertliklerinin ve kalitelerinin farklılığı gibi nedenlerle kasnakta yan yana kullandığımız kayışlarda aynı gergiyi elde etmemiz imkansızdır.

Makina imalatçıları ve makina bakımcıları yan yana takılan V kayışların bazılarının çok gergin bazılarının gevşek olduğunu çok iyi bilirler.

Bu durumda çok gergin olan kayış bütün yükü çekecektir. Uzun süre dayanamayacak yıpranacaktır. Yıpranırken kasnağın kanallarını da muhakkak yıpratacaktır. O kanala yeni kayış takmamızın pek faydası olmayacak yeni kayışı da kısa sürede yıpratacaktır.

Bu nedenle DIN 2211 standardında imal edilmiş olan V kasnaklarda kayıp %25 ile % 40 arası olmaktadır. Standart dışı rasgele açılmış V kasnaklarda ise kayıp %60 - %85 arası olmaktadır. Bu standart kasnakta dört kayıştan en az birinin standart dışı olan kasnakta ise dört kayıştan üçünün fazla olması anlamına gelmektedir. Bu durumlar makinanın hantallaşmasına ve maliyetin yükselmesine neden olmaktadır.

V kasnaklarda kanal derinliğinin fazla olması da dezavantajdır. Bu nedenle küçük çaplarda üretilemezler. Örneğin; 50mm çapında olan kamalı mile en az 125mm çapında V kasnak takılabilir. Altı Kat devir azaltmak istersek karşı kasnak 750mm çapında olmalıdır. Büyük ve ağır kasnak hem makineyi yormakta hem maliyeti artırmakta hem de hantal bir görünüm vermektedir.

DISADVANTAGES OF THE V BELT PULLEYS

Because of the reasons such as the difference of the dimensions of the v belt pulleys purchased from the market, that of its hardness and that its quality, it is impossible to obtain the same tension in the belts used side by side in the pulley.


The machine manufacturer and the machine repairers know very well that some of the belts they assembled side by side are very tensioned and some are very loose, because they see continuously this.

In this case, the very tensioned belt will transport all the load, not resisted long time to this, it will be frayed. It will fray certainly the pulley's grooves while it is frayed. Assembling the new belt into that groove won't be useful, but the new belt is assembled by the conviction that it is useful a little.

for this reason, the loss in the v belt pulleys manufactured

With DIN 2211 standard is occurred from 25% to % 40. the loss in the v belt pulleys manufactured by chance without standard is occurred from 60 % to % 85. this means that one belt from 4 belt in a standard is surplus and 3 belts from 4 belt in a standard belt are surplus, this cases cause that the machine became coarse and the cost is increased.

Furthermore, the fact that the groove dept is surplus in the v belt pulleys is a disadvantage. For this reason, they can't be manufactured in small diameters, for example, a v belt with 125 mm diameter at least can be assembled into the keyway pin with 50 mm diameter. If it is required to decrease 6 times the revolution (r.p.m) the opposite pulley should have the 750mm diameter, a big and heavy pulley both tires the machine and increases the cost and gives a coarse aspect.





STANDART V KAYIŞ KASNAK ÖLÇÜLERİ


BURÇ ÖLÇÜSÜ	DN 2221				DIN 2217		VİDA SCREW DIN ISO 5290		
	SPZ/ XSPZ	SPA/ XSPA	SPB/ XSPB	SPC/ XSPC			9N/9J 3V/3VX	15N/15J 5V/5VX	25N/25J 8V
	10	13	17	22	25	32			
Kasnak Profilleri	Z	A	B	C	-	D			
b1	9.7	12.7	16.3	22	25	32	8.9	15.2	25.4
c	2	2.8	3.5	4.8	6.3	8.1	0.6	1.3	2.5
e	12±0,3	15±0,3	19±0,4	25,5±0,5	29±0,5	37±0,6	10,3±0,25	17,5±0,25	28,6±0,4
f	8	10	12.5	17	19	24	9	13	19
t	11±0,6	13,8±0,6	17,5±0,6	23,8±0,6	22±0,6	28±0,6	8.9	15.2	25.4
a 34°	Dw≤80	Dw≤118	Dw≤190	Dw≤315	Dw≤355	-	-	-	-
a 36°	-	-	-	-	-	Dw≤500	Dw≤90	-	-
a 38°	Dw>80	Dw>118	Dw>190	Dw>315	Dw>355	Dw>500	Dw≤150	Dw≤250	Dw≤400
a 40°	-	-	-	-	-	-	Dw≤300	Dw≤400	Dw≤560
a 42°	-	-	-	-	-	-	Dw>300	Dw>400	Dw>560

KASNAK SAYISI VE TİPE GÖRE b2 GENİŞLİK ÖLÇÜLERİ (mm)

n	SPZ	SPA	SPB	SPC	25	32	9N/9J 3V/3VX	15N/15J 5V/5VX	25N/25J 8V
1	16	20	25	34	38	48	18	26	38
2	28	35	44	59.5	67	85	28.3	43.5	66.6
3	40	50	63	85	96	122	38.6	61	95.2
4	52	65	82	110.5	125	159	48.9	78.5	123.8
5	64	80	101	136	154	196	59.2	96	152.4
6	76	95	120	161.5	183	233	69.5	113.5	181
7	88	110	139	187	212	270	79.8	131	209.6
8	100	125	158	212.5	241	307	90.1	148.5	238.2
9	112	140	177	238	270	344	100.4	166	266.8
10	124	155	196	263.5	299	381	110.7	183.5	295.4
11	136	170	215	289	328	418	121	201	324
12	148	185	234	314.5	357	455	131.3	218.5	352.6
13	160	200	253	340	386	492	141.6	236	318.2
14	172	215	272	365.5	415	529	151.9	253.5	409.8
15	184	230	291	391	444	566	162.2	271	438.4
16	196	245	310	416.5	473	603	172.5	288.5	467
17	208	260	329	442	502	640	182.8	306	495.6
18	220	275	348	467.5	531	677	193.1	323.5	524.2
19	232	290	367	493	560	714	203.4	341	552.8
20	244	305	386	518.5	589	751	213.7	358.5	581.4
21	256	320	405	544	618	788	224	376	610
22	268	335	424	569.5	647	825	234.3	393.5	638.6
23	280	350	443	595	676	862	244.6	411	667.2
24	292	365	462	620.5	705	899	254.9	428.5	695.8
25	304	380	481	646	734	936	265.2	446	724.4
26	316	395	500	671.5	763	973	275.5	463.5	753
27	328	410	519	697	792	1010	285.8	481	781.6
28	340	425	538	722.5	821	1047	296.1	498.5	810.2
29	352	440	557	748	850	1084	306.4	516	838.8
30	364	455	576	773.5	879	1121	316.7	533.5	867.4
31	376	470	595	799	908	1158	327	551	896
32	388	485	614	824.5	937	1195	337.3	568.5	924.6
33	400	500	633	850	966	1232	347.6	586	953.2
34	412	515	652	875.5	995	1269	357.9	603.5	981.8
35	424	530	671	901	1024	1306	368.2	621	1010.4
36	436	545	690	926.5	1053	1343	378.5	638.5	1039
37	448	560	709	952	1082	1380	388.8	656	1067.6
38	460	575	728	977.5	1111	1417	399.1	673.5	1096.2
39	472	590	747	1003	1140	1454	409.4	691	1124.8
40	484	605	766	1028.5	1169	1491	419.7	708.5	1153.4


MOTOR GÜCÜ VE DEVİR SAYILARINA GÖRE V KASNAK SEÇİMİ






SPZ / 1

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
50	54	1	1008	16	-	-	22	6	50
56	60	1	1008	16	-	-	22	6	55
60	64	1	1008	16	-	-	22	6	58
63	67	1	1108	16	-	-	22	6	60
67	71	1	1108	16	-	-	22	6	60
71	75	1	1108	16	-	-	22	6	60
75	79	1	1108	16	-	-	22	6	60
80	84	1	1210	16	-	-	25	9	85
85	89	1	1210	16	-	-	25	9	85
90	94	1	1210	16	-	-	25	9	85
95	99	1	1210	16	-	-	25	9	85
100	104	1	1210	16	-	-	25	9	85
106	110	1	1610	16	-	-	25	9	92
112	116	1	1610	16	-	-	25	9	92
118	122	1	1610	16	-	-	25	9	92
125	129	1	1610	16	-	-	25	9	92
132	136	1	1610	16	-	-	25	9	92
140	144	1	1610	16	-	-	25	9	92
150	154	1	1610	16	-	-	25	9	92
160	164	1	1610	16	-	-	25	9	92
170	174	8	1610	16	141	4.5	25	4.5	92
180	184	8	1610	16	152	4.5	25	4.5	92
190	194	8	1610	16	161	4.5	25	4.5	92
200	204	8	2012	16	172	8	32	8	112
224	228	8	2012	16	196	8	32	8	112
250	254	4	2012	16	222	8	32	8	112
280	284	4	2012	16	252	8	32	8	112
315	319	4	2012	16	287	8	32	8	112
355	359	4	2012	16	326	8	32	8	112
400	404	4	2012	16	371	8	32	8	112
450	454	4	2517	16	421	14.5	45	14.5	120




SPZ / 2

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
50	54	6	1008	28	28	6	22	-	-
56	60	6	1008	28	36	6	22	-	-
60	64	6	1008	28	36	6	22	-	-
63	67	6	1108	28	40	6	22	-	-
67	71	6	1108	28	42	6	22	-	-
71	75	6	1108	28	42	6	22	-	-
75	79	6	1210	28	51	3	25	-	-
80	84	6	1210	28	51	3	25	-	-
85	89	6	1210	28	60	3	25	-	-
90	94	6	1210	28	60	3	25	-	-
95	99	6	1210	28	66	3	25	-	-
100	104	6	1210	28	71	3	25	-	-
106	110	6	1610	28	76	3	25	-	-
112	116	6	1610	28	84	3	25	-	-
118	122	6	1610	28	90	3	25	-	-
125	129	6	1610	28	97	3	25	-	-
132	136	6	1610	28	104	3	25	-	-
140	144	6	1610	28	112	3	25	-	-
150	154	1	2012	28	-	-	32	4	112
160	164	1	2012	28	-	-	32	4	112
170	174	8	2012	28	141	2	32	2	112
180	184	8	2012	28	152	2	32	2	112
190	194	8	2012	28	161	2	32	2	112
200	204	8	2012	28	172	2	32	2	112
224	228	4	2012	28	196	2	32	2	112
250	254	4	2012	28	222	2	32	2	112
280	284	4	2012	28	252	2	32	2	112
315	319	4	2012	28	287	2	32	2	112
355	359	4	2012	28	326	2	32	2	112
400	404	4	2517	28	371	8.5	45	8.5	120
450	454	4	2517	28	421	8.5	45	8.5	120
500	504	4	2517	28	471	8.5	45	8.5	120




SPZ / 3

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
63	67	6	1108	40	40	18	22	-	-
67	71	6	1108	40	42	18	22	-	-
71	75	6	1108	40	42	18	22	-	-
75	79	6	1210	40	48	15	25	-	-
80	84	6	1210	40	51	15	25	-	-
85	89	6	1610	40	60	15	25	-	-
90	94	6	1610	40	61	15	25	-	-
95	99	6	1610	40	66	15	25	-	-
100	104	6	1610	40	71	15	25	-	-
106	110	6	1610	40	78	15	25	-	-
112	116	6	2012	40	84	8	32	-	-
118	122	6	2012	40	92	8	32	-	-
125	129	2	2012	40	97	-	32	8	-
132	136	2	2012	40	104	-	32	8	-
140	144	2	2012	40	112	-	32	8	-
150	154	2	2012	40	122	-	32	8	-
160	164	2	2012	40	132	-	32	8	-
170	174	7	2012	40	141	4	32	4	112
180	184	7	2012	40	152	4	32	4	112
190	194	7	2012	40	161	4	32	4	112
200	204	7	2012	40	172	4	32	4	112
224	228	7	2012	40	196	4	32	4	112
250	254	5	2012	40	222	4	32	4	112
280	284	4	2517	40	252	2.5	45	2.5	120
315	319	4	2517	40	287	2.5	45	2.5	120
355	359	4	2517	40	326	2.5	45	2.5	120
400	404	4	2517	40	371	2.5	45	2.5	120
450	454	4	2517	40	421	2.5	45	2.5	120
500	504	4	2517	40	471	2.5	45	2.5	120
630	634	4	2517	40	601	2.5	45	2.5	120
800	804	4	3020	40	771	5.5	51	5.5	150




SPZ / 4

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
63	67	6	1108	52	38	30	22	-	-
67	71	6	1108	52	41	30	22	-	-
71	75	6	1108	52	45	30	22	-	-
75	79	6	1210	52	46	27	25	-	-
80	84	6	1210	52	51	27	25	-	-
85	89	6	1610	52	60	27	25	-	-
90	94	6	1610	52	60	27	25	-	-
95	99	6	1610	52	66	27	25	-	-
100	104	6	1610	52	71	27	25	-	-
106	110	6	1610	52	80	27	25	-	-
112	116	6	2012	52	86	20	32	-	-
118	122	6	2012	52	92	20	32	-	-
125	129	2	2012	52	99	-	32	20	-
132	136	2	2012	52	104	-	32	20	-
140	144	2	2012	52	112	-	32	20	-
150	154	2	2517	52	122	-	45	7	-
160	164	2	2517	52	132	-	45	7	-
170	174	2	2517	52	141	-	45	7	-
180	184	7	2517	52	152	3.5	45	3.5	120
190	194	7	2517	52	161	3.5	45	3.5	120
200	204	7	2517	52	172	3.5	45	3.5	120
224	228	7	2517	52	196	3.5	45	3.5	120
250	254	5	2517	52	222	3.5	45	3.5	120
280	284	5	2517	52	252	3.5	45	3.5	120
315	319	5	2517	52	287	3.5	45	3.5	120
355	359	5	2517	52	326	3.5	45	3.5	120
400	404	5	2517	52	371	3.5	45	3.5	120
450	454	5	3020	52	421	0.5	51	0.5	150
500	504	5	3020	52	471	0.5	51	0.5	150
630	634	5	3020	52	601	0.5	51	0.5	150
800	804	4	3030	52	771	12	76	12	150




SPZ / 5

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
85	89	6	1610	64	60	39	25	-	-
90	94	6	1610	64	60	39	25	-	-
95	99	6	1610	64	66	39	25	-	-
100	104	6	2012	64	72	32	32	-	-
106	110	6	2012	64	78	32	32	-	-
112	116	6	2012	64	86	32	32	-	-
118	122	6	2012	64	92	32	32	-	-
125	129	6	2012	64	99	32	32	-	-
132	136	6	2517	64	104	19	45	-	-
140	144	2	2517	64	112	-	45	19	-
150	154	2	2517	64	122	-	45	19	-
160	164	2	2517	64	132	-	45	19	-
170	174	2	2517	64	141	-	45	19	-
180	184	7	2517	64	152	9.5	45	9.5	120
190	194	7	2517	64	161	9.5	45	9.5	120
200	204	7	2517	64	172	9.5	45	9.5	120
224	228	7	2517	64	196	9.5	45	9.5	120
250	254	5	2517	64	222	9.5	45	9.5	120
280	284	5	2517	64	252	9.5	45	9.5	120
315	319	5	2517	64	287	9.5	45	9.5	120
355	359	5	2517	64	326	9.5	45	9.5	120
400	404	5	3020	64	371	6.5	51	6.5	150
450	454	5	3020	64	421	6.5	51	6.5	150
500	504	5	3020	64	471	6.5	51	6.5	150
630	634	5	3020	64	601	6.5	51	6.5	150
800	804	4	3535	64	771	12.5	89	12.5	170




SPZ / 6

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
85	89	6	1610	76	60	51	25	-	-
90	94	6	1610	76	60	51	25	-	-
95	99	6	1610	76	66	51	25	-	-
100	104	6	2012	76	72	44	32	-	-
106	110	6	2012	76	78	44	32	-	-
112	116	6	2012	76	86	44	32	-	-
118	122	6	2517	76	92	31	45	-	-
125	129	6	2517	76	99	31	45	-	-
132	136	6	2517	76	104	31	45	-	-
140	144	2	2517	76	112	-	45	31	-
150	154	2	2517	76	122	-	45	31	-
160	164	2	2517	76	132	-	45	31	-
170	174	2	2517	76	141	-	45	31	-
180	184	7	2517	76	152	15.5	45	15.5	120
190	194	7	2517	76	161	15.5	45	15.5	120
200	204	7	2517	76	172	15.5	45	15.5	120
224	228	7	2517	76	196	15.5	45	15.5	120
250	254	5	2517	76	222	15.5	45	15.5	120
280	284	5	2517	76	252	15.5	45	15.5	120
315	319	5	2517	76	287	15.5	45	15.5	120
355	359	5	2517	76	326	15.5	45	15.5	120
400	404	5	3020	76	371	12.5	51	12.5	150
450	454	5	3020	76	421	12.5	51	12.5	150
500	504	5	3020	76	471	12.5	51	12.5	150
630	634	4	3535	76	601	6.5	89	6.5	170
800	804	4	3535	76	771	6.5	89	6.5	170




SPZ / 8

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
140	144	3	2517	100	112	27.5	45	27.5	-
150	154	3	2517	100	122	27.5	45	27.5	-
160	164	3	2517	100	132	27.5	45	27.5	-
180	184	3	2517	100	152	27.5	45	27.5	-
200	204	3	3020	100	172	24.5	51	24.5	-
224	228	3	3020	100	196	24.5	51	24.5	-
250	254	5	3020	100	222	24.5	51	24.5	150
280	284	5	3020	100	252	24.5	51	24.5	150
355	359	5	3030	100	326	12	76	12	150
400	404	5	3030	100	371	12	76	12	150
450	454	5	3535	100	421	5.5	89	5.5	170




SPA / 1

ANMA ÇAPİ (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
63	68.5	1	1108	20	-	-	22	2	60
67	72.5	1	1108	20	-	-	22	2	60
71	76.5	1	1108	20	-	-	22	2	60
75	80.5	1	1108	20	-	-	22	2	60
80	85.5	1	1210	20	-	-	25	5	85
85	90.5	1	1210	20	-	-	25	5	85
90	95.5	1	1210	20	-	-	25	5	85
95	100.5	1	1210	20	-	-	25	5	85
100	105.5	1	1610	20	-	-	25	5	92
106	111.5	1	1610	20	-	-	25	5	92
112	117.5	1	1610	20	-	-	25	5	92
118	123.5	1	1610	20	-	-	25	5	92
125	130.5	1	1610	20	-	-	25	5	92
132	137.5	1	1610	20	-	-	25	5	92
140	145.5	1	1610	20	-	-	25	5	92
150	155.5	1	1610	20	-	-	25	5	92
160	165.5	8	1610	20	125	2.5	25	2.5	92
170	175.5	8	1610	20	135	2.5	25	2.5	92
180	185.5	8	1610	20	148	2.5	25	2.5	92
190	195.5	8	1610	20	158	2.5	25	2.5	92
200	205.5	8	2012	20	165	6	32	6	112
212	217.5	8	2012	20	177	6	32	6	112
224	229.5	4	2012	20	189	6	32	6	112
236	241.5	4	2012	20	200	6	32	6	112
250	255.5	4	2012	20	215	6	32	6	112
280	285.5	4	2012	20	245	6	32	6	112
315	320.5	4	2012	20	280	6	32	6	112
355	360.5	4	2012	20	320	6	32	6	112
400	405.5	4	2012	20	365	6	32	6	112
450	455.5	4	2012	20	415	6	32	6	112
500	505.5	4	2517	20	465	12.5	45	12.5	120
560	565.5	4	2517	20	525	12.5	45	12.5	120
630	635.5	4	2517	20	595	12.5	45	12.5	120




SPA / 2

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
63	68.5	6	1108	35	33	13	22	-	-
67	72.5	6	1108	35	37	13	22	-	-
71	76.5	6	1108	35	40	13	22	-	-
75	80.5	6	1108	35	44	13	22	-	-
80	85.5	6	1210	35	47	10	25	-	-
85	90.5	6	1210	35	50	10	25	-	-
90	95.5	6	1610	35	60	10	25	-	-
95	100.5	6	1610	35	64	10	25	-	-
100	105.5	6	1610	35	70	10	25	-	-
106	111.5	6	1610	35	76	10	25	-	-
112	117.5	6	1610	35	80	10	25	-	-
118	123.5	6	1610	35	86	10	25	-	-
125	130.5	2	1610	35	90	-	25	10	-
132	137.5	2	2012	35	98	-	32	3	-
140	145.5	2	2012	35	106	-	32	3	-
150	155.5	2	2012	35	116	-	32	3	-
160	165.5	2	2012	35	125	-	32	3	-
170	175.5	2	2012	35	135	-	32	3	-
180	185.5	7	2012	35	148	1.5	32	1.5	112
190	195.5	7	2012	35	158	1.5	32	1.5	112
200	205.5	8	2517	35	165	5	45	5	120
212	217.5	8	2517	35	177	5	45	5	120
224	229.5	8	2517	35	189	5	45	5	120
236	241.5	8	2517	35	200	5	45	5	120
250	255.5	4	2517	35	215	5	45	5	120
280	285.5	4	2517	35	245	5	45	5	120
315	320.5	4	2517	35	280	5	45	5	120
355	360.5	4	2517	35	320	5	45	5	120
400	405.5	4	2517	35	365	5	45	5	120
450	455.5	4	2517	35	415	5	45	5	120
500	505.5	4	2517	35	465	5	45	5	120
560	565.5	4	3020	35	525	8	51	8	150
630	635.5	4	3020	35	595	8	51	8	150




SPA / 3

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
71	76.5	6	1108	50	40	28	22	-	-
75	80.5	6	1210	50	44	25	25	-	-
80	85.5	6	1210	50	47	25	25	-	-
85	90.5	6	1210	50	50	25	25	-	-
90	95.5	6	1610	50	60	25	25	-	-
95	100.5	6	1610	50	64	25	25	-	-
100	105.5	2	1610	50	70	-	25	25	-
106	111.5	2	1610	50	76	-	25	25	-
112	117.5	6	2012	50	80	18	32	-	-
118	123.5	2	2012	50	86	-	32	18	-
125	130.5	2	2012	50	90	-	32	18	-
132	137.5	2	2012	50	98	-	32	18	-
140	145.5	2	2517	50	106	-	45	5	-
150	155.5	2	2517	50	116	-	45	5	-
160	165.5	2	2517	50	125	-	45	5	-
170	175.5	2	2517	50	135	-	45	5	-
180	185.5	2	2517	50	148	-	45	5	-
190	195.5	2	2517	50	158	-	45	5	-
200	205.5	7	2517	50	165	2.5	45	2.5	120
212	217.5	7	2517	50	177	2.5	45	2.5	120
224	229.5	7	2517	50	189	2.5	45	2.5	120
236	241.5	7	2517	50	200	2.5	45	2.5	120
250	255.5	7	2517	50	215	2.5	45	2.5	120
280	285.5	7	2517	50	245	2.5	45	2.5	120
315	320.5	8	3020	50	280	0.5	51	0.5	150
355	360.5	4	3020	50	320	0.5	51	0.5	150
400	405.5	4	3020	50	365	0.5	51	0.5	150
450	455.5	4	3020	50	415	0.5	51	0.5	150
500	505.5	4	3020	50	465	0.5	51	0.5	150
560	565.5	4	3020	50	525	0.5	51	0.5	150
630	635.5	4	3020	50	595	0.5	51	0.5	150
800	805.5	4	3535	50	595	19.5	89	19.5	170




SPA / 4

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
90	95.5	6	1615	65	60	27	38	-	-
95	100.5	6	1615	65	64	27	38	-	-
100	105.5	6	1610	65	70	40	25	-	-
106	111.5	6	2012	65	76	33	32	-	-
112	117.5	6	2012	65	80	33	32	-	-
118	123.5	2	2012	65	86	-	32	33	-
125	130.5	2	2012	65	90	-	32	33	-
132	137.5	2	2517	65	98	-	32	33	-
140	145.5	2	2517	65	106	-	45	20	-
150	155.5	2	2517	65	116	-	45	20	-
160	165.5	2	2517	65	125	-	45	20	-
170	175.5	2	2517	65	135	-	45	20	-
180	185.5	2	2517	65	148	-	45	20	-
190	195.5	2	2517	65	158	-	45	20	-
200	205.5	2	3020	65	165	-	45	20	-
212	217.5	2	3020	65	177	-	45	20	-
224	229.5	7	3020	65	189	10	45	10	150
236	241.5	7	3020	65	200	10	45	10	150
250	255.5	7	3020	65	215	10	45	10	150
280	285.5	7	3020	65	245	10	45	10	150
315	320.5	7	3020	65	280	7	51	7	150
355	360.5	5	3020	65	320	7	51	7	150
400	405.5	5	3020	65	365	7	51	7	150
450	455.5	5	3020	65	415	7	51	7	150
500	505.5	5	3020	65	465	7	51	7	150
560	565.5	4	3535	65	525	12	89	12	150
630	635.5	4	3535	65	595	12	89	12	150
800	805.5	4	3535	65	595	12	89	12	150
1000	1005.5	4	4040	65	595	18.5	102	18.5	210




SPA / 5

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
100	105.5	6	1610	80	70	55	25	-	-
106	111.5	6	2012	80	76	48	32	-	-
112	117.5	6	2012	80	80	48	32	-	-
118	123.5	2	2012	80	86	-	32	48	-
125	130.5	2	2012	80	90	-	32	48	-
132	137.5	2	2517	80	98	-	45	35	-
140	145.5	2	2517	80	106	-	45	35	-
150	155.5	2	2517	80	116	-	45	35	-
160	165.5	2	2517	80	125	-	45	35	-
170	175.5	2	3020	80	135	-	51	29	-
180	185.5	2	3020	80	148	-	51	29	-
190	195.5	2	3020	80	158	-	51	29	-
200	205.5	3	3020	80	165	14.5	51	14.5	-
212	217.5	2	3020	80	177	-	51	29	-
224	229.5	2	3020	80	189	-	51	29	-
236	241.5	2	3020	80	200	-	51	29	-
250	255.5	7	3020	80	215	14.5	51	14.5	150
280	285.5	8	3535	80	245	4.5	89	4.5	170
315	320.5	8	3535	80	280	4.5	89	4.5	170
355	360.5	4	3535	80	320	4.5	89	4.5	170
400	405.5	4	3535	80	365	4.5	89	4.5	170
450	455.5	4	3535	80	415	4.5	89	4.5	170
500	505.5	4	3535	80	465	4.5	89	4.5	170
560	565.5	4	3535	80	525	4.5	89	4.5	170
630	635.5	4	3535	80	595	4.5	89	4.5	170
800	805.5	4	4040	80	595	11	102	11	210
1000	1005.5	4	4545	80	595	17	114	17	240




SPA / 6

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
100	105.5	3	1610	95	70	35	25	35	-
106	111.5	6	2012	95	76	63	32	-	-
112	117.5	6	2012	95	80	63	32	-	-
118	123.5	6	2012	95	86	63	32	-	-
125	130.5	3	2012	95	90	31.5	32	31.5	-
132	137.5	3	2517	95	98	25	45	25	-
140	145.5	3	2517	95	106	25	45	25	-
150	155.5	3	2517	95	116	25	45	25	-
160	165.5	3	2517	95	125	25	45	25	-
170	175.5	3	2517	95	135	25	45	25	-
180	185.5	3	2517	95	148	25	45	25	-
190	195.5	3	2517	95	158	25	45	25	-
200	205.5	3	3020	95	165	22	51	22	-
212	217.5	3	3020	95	177	22	51	22	-
224	229.5	3	3020	95	189	22	51	22	-
236	241.5	3	3020	95	200	22	51	22	-
250	255.5	7	3020	95	215	22	51	22	150
280	285.5	5	3535	95	245	3	89	3	170
315	320.5	5	3535	95	280	3	89	3	170
355	360.5	5	3535	95	320	3	89	3	170
400	405.5	5	3535	95	365	3	89	3	170
450	455.5	5	3535	95	415	3	89	3	170
500	505.5	5	3535	95	465	3	89	3	170
560	565.5	5	3535	95	525	3	89	3	170
630	635.5	4	4040	95	595	3.5	102	3.5	210
800	805.5	4	4040	95	595	3.5	102	3.5	210
1000	1005.5	4	4545	95	595	9.5	114	9.5	240




SPB / 1

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
100	107	1	1610	25	-	-	25	-	-
106	113	1	1610	25	-	-	25	-	-
112	119	1	1610	25	-	-	25	-	-
118	125	1	1610	25	-	-	25	-	-
125	132	1	1610	25	-	-	25	-	-
132	139	1	1610	25	-	-	25	-	-
140	147	1	1610	25	-	-	25	-	-
150	157	1	1610	25	-	-	25	-	-
160	167	1	1610	25	-	-	25	-	-
170	177	1	1610	25	-	-	25	-	-
180	187	1	1610	25	-	-	25	-	-
190	197	1	2012	25	-	-	32	7	112
200	207	8	2012	25	157	3.5	32	3.5	112
212	219	8	2012	25	169	3.5	32	3.5	112
224	231	8	2012	25	181	3.5	32	3.5	112
236	243	4	2012	25	193	3.5	32	3.5	112
250	257	4	2012	25	207	3.5	32	3.5	112
265	272	4	2012	25	222	3.5	32	3.5	112
280	287	4	2012	25	237	3.5	32	3.5	112
300	307	4	2012	25	257	3.5	32	3.5	112
315	322	4	2012	25	272	3.5	32	3.5	112
335	342	4	2517	25	292	10	45	10	120
355	362	4	3020	25	312	13	51	13	150
375	382	4	3020	25	332	13	51	13	150
400	407	4	3020	25	357	13	51	13	150
425	432	4	3020	25	382	13	51	13	150
450	457	4	3020	25	407	13	51	13	150
500	507	4	3020	25	457	13	51	13	150
560	567	4	3020	25	517	13	51	13	150
630	637	4	3020	25	587	13	51	13	150




SPB / 2

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
100	107	6	1610	44	62	19	25	-	-
106	113	6	1610	44	67	19	25	-	-
112	119	6	1610	44	72	19	25	-	-
118	125	2	1610	44	78	-	25	19	-
125	132	2	2012	44	82	-	32	12	-
132	139	2	2012	44	89	-	32	12	-
140	147	2	2012	44	97	-	32	12	-
150	157	2	2012	44	107	-	32	12	-
160	167	2	2012	44	117	-	32	12	-
170	177	2	2012	44	127	-	32	12	-
180	187	8	2517	44	137	0.5	45	0.5	120
190	197	8	2517	44	147	0.5	45	0.5	120
200	207	8	2517	44	157	0.5	45	0.5	120
212	219	8	2517	44	169	0.5	45	0.5	120
224	231	8	2517	44	181	0.5	45	0.5	120
236	243	8	2517	44	193	0.5	45	0.5	120
250	257	4	2517	44	207	0.5	45	0.5	120
265	272	4	2517	44	222	0.5	45	0.5	120
280	287	4	2517	44	237	0.5	45	0.5	120
300	307	4	2517	44	257	0.5	45	0.5	120
315	322	4	2517	44	272	0.5	45	0.5	120
335	342	4	2517	44	292	0.5	45	0.5	120
355	362	4	3020	44	312	3.5	51	3.5	150
375	382	4	3020	44	332	3.5	51	3.5	150
400	407	4	3020	44	357	3.5	51	3.5	150
425	432	4	3020	44	382	3.5	51	3.5	150
450	457	4	3020	44	407	3.5	51	3.5	150
500	507	4	3020	44	457	3.5	51	3.5	150
560	567	4	3020	44	517	3.5	51	3.5	150
630	637	4	3020	44	587	3.5	51	3.5	150




SPB / 3

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
100	107	6	1610	63	62	38	25	-	-
106	113	6	1610	63	67	38	25	-	-
112	119	6	1610	63	72	38	25	-	-
118	125	6	1610	63	78	38	25	-	-
125	132	6	2012	63	82	31	32	-	-
132	139	2	2012	63	89	-	32	31	-
140	147	2	2012	63	97	-	32	31	-
150	157	2	2517	63	107	-	45	18	-
160	167	2	2517	63	117	-	45	18	-
170	177	2	2517	63	127	-	45	18	-
180	187	2	2517	63	137	-	45	18	-
190	197	2	2517	63	147	-	45	18	-
200	207	2	2517	63	157	-	45	18	-
212	219	7	2517	63	169	9	45	9	120
224	231	7	2517	63	181	9	45	9	120
236	243	7	2517	63	193	9	45	9	120
250	257	7	3020	63	207	6	51	6	150
265	272	5	3020	63	222	6	51	6	150
280	287	5	3020	63	237	6	51	6	150
300	307	5	3020	63	257	6	51	6	150
315	322	5	3020	63	272	6	51	6	150
335	342	5	3020	63	292	6	51	6	150
355	362	5	3020	63	312	6	51	6	150
375	382	5	3020	63	332	6	51	6	150
400	407	4	3535	63	357	13	89	13	170
425	432	4	3535	63	382	13	89	13	170
450	457	4	3535	63	407	13	89	13	170
500	507	4	3535	63	457	13	89	13	170
560	567	4	3535	63	517	13	89	13	170
630	637	4	3535	63	587	13	89	13	170
710	717	4	3535	63	667	13	89	13	170
800	807	4	3535	63	757	13	89	13	170
900	907	4	3535	63	857	13	89	13	170
1000	1007	4	4040	63	957	19.5	102	19.5	210
1250	1257	4	4040	63	1207	19.5	102	19.5	210




SPB / 4

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
100	107	3	1210	82	62	28,5	25	28,5	-
106	113	3	1610	82	67	28,5	25	28,5	-
112	119	3	1610	82	72	28,5	25	28,5	-
118	125	3	1610	82	78	28,5	25	28,5	-
125	132	3	2012	82	82	25	32	25	-
132	139	3	2012	82	89	25	32	25	-
140	147	3	2517	82	97	18.5	45	18.5	-
150	157	3	2517	82	107	18.5	45	18.5	-
160	167	3	2517	82	117	18.5	45	18.5	-
170	177	3	2517	82	127	18.5	45	18.5	-
180	187	3	2517	82	137	18.5	45	18.5	-
190	197	3	2517	82	147	18.5	45	18.5	-
200	207	3	3020	82	157	15.5	51	15.5	-
212	219	7	3020	82	169	15.5	51	15.5	150
224	231	7	3020	82	181	15.5	51	15.5	150
236	243	7	3020	82	193	15.5	51	15.5	150
250	257	7	3020	82	207	15.5	51	15.5	150
265	272	7	3020	82	222	15.5	51	15.5	150
280	287	7	3020	82	237	15.5	51	15.5	150
300	307	7	3020	82	257	15.5	51	15.5	150
315	322	8	3535	82	272	3.5	89	3.5	170
335	342	4	3535	82	292	3.5	89	3.5	170
355	362	4	3535	82	312	3.5	89	3.5	170
375	382	4	3535	82	332	3.5	89	3.5	170
400	407	4	3535	82	357	3.5	89	3.5	170
425	432	4	3535	82	382	3.5	89	3.5	170
450	457	4	3535	82	407	3.5	89	3.5	170
500	507	4	3535	82	457	3.5	89	3.5	170
560	567	4	3535	82	517	3.5	89	3.5	170
630	637	4	3535	82	587	3.5	89	3.5	170
710	717	4	3535	82	667	3.5	89	3.5	170
800	807	4	4040	82	757	10	102	10	210
900	907	4	4040	82	857	10	102	10	210
1000	1007	4	4040	82	957	10	102	10	210
1250	1257	4	4545	82	1207	16	114	16	240




SPB / 5

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
125	132	6	2012	101	82	69	32	-	-
132	139	3	2517	101	89	28	45	28	-
140	147	3	2517	101	97	28	45	28	-
150	157	3	2517	101	107	28	45	28	-
160	167	3	2517	101	117	28	45	28	-
170	177	3	3020	101	127	25	51	25	-
180	187	3	3020	101	137	25	51	25	-
190	197	3	3020	101	147	25	51	25	-
200	207	3	3020	101	157	25	51	25	-
212	219	3	3020	101	169	25	51	25	-
224	231	3	3020	101	181	25	51	25	-
236	243	3	3535	101	193	6	89	6	-
250	257	3	3535	101	207	6	89	6	-
265	272	7	3535	101	222	6	89	6	170
280	287	7	3535	101	237	6	89	6	170
300	307	7	3535	101	257	6	89	6	170
315	322	7	3535	101	272	6	89	6	170
335	342	5	3535	101	292	6	89	6	170
355	362	5	3535	101	312	6	89	6	170
375	382	5	3535	101	332	6	89	6	170
400	407	5	3535	101	357	6	89	6	170
425	432	5	3535	101	382	6	89	6	170
450	457	5	3535	101	407	6	89	6	170
500	507	5	3535	101	457	6	89	6	170
560	567	4	4040	101	517	0.5	102	0.5	210
630	637	4	4040	101	587	0.5	102	0.5	210
710	717	4	4040	101	667	0.5	102	0.5	210
800	807	4	4040	101	757	0.5	102	0.5	210
900	907	4	4040	101	857	0.5	102	0.5	210
1000	1007	4	4545	101	957	6.5	114	6.5	240
1250	1257	4	4545	101	1207	6.5	114	6.5	240




SPB / 6

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
125	132	3	2012	120	82	44	32	44	-
132	139	3	2012	120	89	44	32	44	-
140	147	3	2517	120	97	37.5	45	37.5	-
150	157	3	2517	120	107	37.5	45	37.5	-
160	167	3	3020	120	117	34.5	51	34.5	-
170	177	3	3020	120	127	34.5	51	34.5	-
180	187	3	3020	120	137	34.5	51	34.5	-
190	197	3	3020	120	147	34.5	51	34.5	-
200	207	3	3020	120	157	34.5	51	34.5	-
212	219	3	3535	120	169	15.5	89	15.5	-
224	231	3	3535	120	181	15.5	89	15.5	-
236	243	3	3535	120	193	15.5	89	15.5	-
250	257	3	3535	120	207	15.5	89	15.5	-
265	272	7	3535	120	222	15.5	89	15.5	170
280	287	7	3535	120	237	15.5	89	15.5	170
300	307	7	3535	120	257	15.5	89	15.5	170
315	322	7	3535	120	272	15.5	89	15.5	170
335	342	5	3535	120	292	15.5	89	15.5	170
355	362	5	3535	120	312	15.5	89	15.5	170
375	382	5	3535	120	332	15.5	89	15.5	170
400	407	5	3535	120	357	15.5	89	15.5	170
425	432	5	3535	120	382	15.5	89	15.5	170
450	457	5	4040	120	407	9	102	9	210
500	507	5	4040	120	457	9	102	9	210
560	567	5	4040	120	517	9	102	9	210
630	637	5	4040	120	587	9	102	9	210
710	717	5	4545	120	667	3	114	3	240
800	807	5	4545	120	757	3	114	3	240
900	907	5	4545	120	857	3	114	3	240
1000	1007	5	4545	120	957	3	114	3	240
1250	1257	5	4545	120	1207	3	114	3	240




SPB / 8

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
140	147	3	2517	158	97	56.5	45	56.5	-
150	157	3	2517	158	107	56.5	45	56.5	-
160	167	3	3020	158	117	53.5	51	56.5	-
170	177	3	3020	158	127	53.5	51	56.5	-
180	187	3	3020	158	137	53.5	51	56.5	-
190	197	3	3020	158	147	53.5	51	56.5	-
200	207	3	3535	158	157	34.5	89	34.5	-
212	219	3	3535	158	169	34.5	89	34.5	-
224	231	3	3535	158	181	34.5	89	34.5	-
236	243	3	3535	158	193	34.5	89	34.5	-
250	257	3	3535	158	207	34.5	89	34.5	-
265	272	7	3535	158	222	34.5	89	34.5	170
280	287	7	3535	158	237	34.5	89	34.5	170
300	307	7	3535	158	257	34.5	89	34.5	170
315	322	7	3535	158	272	34.5	89	34.5	170
335	342	5	3535	158	292	34.5	89	34.5	170
355	362	5	3535	158	312	34.5	89	34.5	170
375	382	5	3535	158	332	34.5	89	34.5	170
400	407	5	4040	158	357	28	102	28	210
425	432	5	4040	158	382	28	102	28	210
450	457	5	4040	158	407	28	102	28	210
500	507	5	4040	158	457	28	102	28	210
560	567	5	4545	158	517	22	114	22	240
630	637	5	4545	158	587	22	114	22	240
710	717	5	4545	158	667	22	114	22	240
800	807	5	4545	158	757	22	114	22	240
900	907	5	4545	158	857	22	114	22	240
1000	1007	5	5050	158	957	15.5	127	15.5	265
1250	1257	5	5050	158	1207	15.5	127	15.5	265




SPB / 10

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
224	231	3	3535	196	181	53.5	89	53.5	-
236	243	3	3535	196	193	53.5	89	53.5	-
250	257	3	3535	196	207	53.5	89	53.5	-
265	272	7	3535	196	222	53.5	89	53.5	170
280	287	7	3535	196	237	53.5	89	53.5	170
300	307	7	3535	196	257	53.5	89	53.5	170
315	322	7	3535	196	272	53.5	89	53.5	170
335	342	5	4040	196	292	47	102	47	210
355	362	5	4040	196	312	47	102	47	210
375	382	5	4040	196	332	47	102	47	210
400	407	5	4040	196	357	47	102	47	210
425	432	5	4040	196	382	47	102	47	210
450	457	5	4040	196	407	47	102	47	210
500	507	5	4545	196	457	41	114	41	240
560	567	5	4545	196	517	41	114	41	240
630	637	5	4545	196	587	41	114	41	240
710	717	5	4545	196	667	41	114	41	240
800	807	5	4545	196	757	41	114	41	240
900	907	5	5050	196	857	34.5	127	34.5	265
1000	1007	5	5050	196	957	34.5	127	34.5	265
1250	1257	5	5050	196	1207	34.5	127	34.5	265




SPC / 2

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
140	149.6	6	2012	59.5	84	27.5	32	-	-
150	159.6	6	2012	59.5	94	27.5	32	-	-
160	169.6	6	2517	59.5	104	14.5	45	-	-
170	179.6	6	2517	59.5	114	14.5	45	-	-
180	189.6	6	2517	59.5	124	14.5	45	-	-
190	199.6	6	2517	59.5	134	14.5	45	-	-
200	209.6	6	2517	59.5	144	14.5	45	-	-




SPC / 3

ANMA ÇAPİ (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
140	149.6	6	2012	85	84	53	32	-	-
150	159.6	3	2517	85	94	20	45	20	-
160	169.6	3	2517	85	104	20	45	20	-
170	179.6	3	2517	85	114	20	45	20	-
180	189.6	3	2517	85	124	20	45	20	-
190	199.6	3	2517	85	134	20	45	20	-
200	209.6	3	2517	85	144	20	45	20	-
212	221.6	3	3020	85	156	17	51	17	-
224	233.6	3	3020	85	168	17	51	17	-
236	245.6	3	3020	85	180	17	51	17	-
250	259.6	3	3020	85	194	17	51	17	-
265	274.6	8	3535	85	209	2	89	2	170
280	289.6	8	3535	85	224	2	89	2	170
300	309.6	8	3535	85	244	2	89	2	170
315	324.6	8	3535	85	259	2	89	2	170
335	344.6	8	3535	85	279	2	89	2	170
355	364.6	8	3535	85	299	2	89	2	170
375	384.6	8	3535	85	319	2	89	2	170
400	409.6	4	3535	85	344	2	89	2	170
425	434.6	4	3535	85	369	2	89	2	170
450	459.6	4	3535	85	394	2	89	2	170
475	484.6	4	3535	85	419	2	89	2	170
500	509.6	4	3535	85	444	2	89	2	170
530	539.6	4	3535	85	474	2	89	2	170
560	569.6	4	3535	85	504	2	89	2	170
630	639.6	4	4040	85	574	8.5	102	8.5	210
710	719.6	4	4040	85	654	8.5	102	8.5	210
800	809.6	4	4545	85	744	14.5	114	14.5	240
1000	1009.6	4	5050	85	944	21	127	21	265
1250	1259.6	4	5050	85	1194	21	127	21	265




SPC / 4

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
140	149.6	6	2012	111	84	79	32	-	-
150	159.6	3	2517	111	94	33	45	33	-
160	169.6	3	2517	111	104	33	45	33	-
170	179.6	3	2517	111	114	33	45	33	-
180	189.6	3	3020	111	124	30	51	30	-
190	199.6	3	3020	111	134	30	51	30	-
200	209.6	3	3020	111	144	30	51	30	-
212	221.6	3	3020	111	156	30	51	30	-
224	233.6	3	3535	111	168	11	89	11	-
236	245.6	3	3535	111	180	11	89	11	-
250	259.6	3	3535	111	194	11	89	11	-
265	274.6	7	3535	111	209	11	89	11	170
280	289.6	7	3535	111	224	11	89	11	170
300	309.6	7	3535	111	244	11	89	11	170
315	324.6	7	3535	111	259	11	89	11	170
335	344.6	7	3535	111	279	11	89	11	170
355	364.6	7	3535	111	299	11	89	11	170
375	384.6	7	3535	111	319	11	89	11	170
400	409.6	5	3535	111	344	11	89	11	170
425	434.6	5	3535	111	369	11	89	11	170
450	459.6	5	3535	111	394	11	89	11	170
475	484.6	5	3535	111	419	11	89	11	170
500	509.6	5	3535	111	444	11	89	11	170
530	539.6	5	4040	111	474	4.5	102	4.5	210
560	569.6	5	4040	111	504	4.5	102	4.5	210
630	639.6	4	4545	111	574	1.5	114	1.5	240
710	719.6	4	4545	111	654	1.5	114	1.5	240
800	809.6	4	5050	111	744	8	127	8	265
1000	1009.6	4	5050	111	944	8	127	8	265
1250	1259.6	4	5050	111	1194	8	127	8	265




SPC / 5

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
140	149.6	6	2012	136	84	104	32	-	-
150	159.6	3	2517	136	94	45.5	45	45.5	-
160	169.6	3	2517	136	104	45.5	45	45.5	-
170	179.6	3	3020	136	114	42.5	51	42.5	-
180	189.6	3	3020	136	124	42.5	51	42.5	-
190	199.6	3	3020	136	134	42.5	51	42.5	-
200	209.6	3	3535	136	144	23.5	89	23.5	-
212	221.6	3	3535	136	156	23.5	89	23.5	-
224	233.6	3	3535	136	168	23.5	89	23.5	-
236	245.6	3	3535	136	180	23.5	89	23.5	-
250	259.6	3	3535	136	194	23.5	89	23.5	-
265	274.6	3	3535	136	209	23.5	89	23.5	-
280	289.6	7	3535	136	224	23.5	89	23.5	170
300	309.6	7	3535	136	244	23.5	89	23.5	170
315	324.6	7	3535	136	259	23.5	89	23.5	170
335	344.6	7	3535	136	279	23.5	89	23.5	170
355	364.6	7	3535	136	299	23.5	89	23.5	170
375	384.6	7	3535	136	319	23.5	89	23.5	170
400	409.6	5	3535	136	344	23.5	89	23.5	170
425	434.6	5	4040	136	369	17	102	17	210
450	459.6	5	4040	136	394	17	102	17	210
475	484.6	5	4040	136	419	17	102	17	210
500	509.6	5	4040	136	444	17	102	17	210
530	539.6	5	4545	136	474	11	114	11	240
560	569.6	5	4545	136	504	11	114	11	240
630	639.6	5	5050	136	574	4.5	127	4.5	265
710	719.6	5	5050	136	654	4.5	127	4.5	265
800	809.6	5	5050	136	744	4.5	127	4.5	265
1000	1009.6	5	5050	136	944	4.5	127	4.5	265
1250	1259.6	5	5050	136	1194	4.5	127	4.5	265




SPC / 6

ANMA ÇAPİ (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
160	169.6	3	2517	162	104	58.5	45	58.5	-
170	179.6	3	3020	162	114	55.5	51	55.5	-
180	189.6	3	3020	162	124	55.5	51	55.5	-
190	199.6	3	3020	162	134	55.5	51	55.5	-
200	209.6	3	3535	162	144	36.5	89	36.5	-
212	221.6	3	3535	162	156	36.5	89	36.5	-
224	233.6	3	3535	162	168	36.5	89	36.5	-
236	245.6	3	3535	162	180	36.5	89	36.5	-
250	259.6	3	3535	162	194	36.5	89	36.5	-
265	274.6	3	3535	162	209	36.5	89	36.5	-
280	289.6	7	3535	162	224	36.5	89	36.5	170
300	309.6	7	3535	162	244	36.5	89	36.5	170
315	324.6	7	3535	162	259	36.5	89	36.5	170
335	344.6	7	3535	162	279	36.5	89	36.5	170
355	364.6	7	3535	162	299	36.5	89	36.5	170
375	384.6	7	4040	162	319	30	102	30	210
400	409.6	7	4040	162	344	30	102	30	210
425	434.6	7	4040	162	369	30	102	30	210
450	459.6	7	4545	162	394	24	114	24	240
475	484.6	7	4545	162	419	24	114	24	240
500	509.6	5	4545	162	444	24	114	24	240
530	539.6	5	5050	162	474	17.5	127	17.5	265
560	569.6	5	5050	162	504	17.5	127	17.5	265
630	639.6	5	5050	162	574	17.5	127	17.5	265
710	719.6	5	5050	162	654	17.5	127	17.5	265
800	809.6	5	5050	162	744	17.5	127	17.5	265
1000	1009.6	5	5050	162	944	17.5	127	17.5	265
1250	1259.6	5	5050	162	1194	17.5	127	17.5	265



SPC / 8

ANMA ÇAPI (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
200	209.6	3	3535	213	144	62	89	62	-
212	221.6	3	3535	213	156	62	89	62	-
224	233.6	3	3535	213	168	62	89	62	-
236	245.6	3	3535	213	180	62	89	62	-
250	259.6	3	3535	213	194	62	89	62	-
265	274.6	3	3535	213	209	62	89	62	-
280	289.6	3	3535	213	224	62	89	62	-
300	309.6	3	4040	213	244	55.5	102	55.5	-
315	324.6	3	4040	213	259	55.5	102	55.5	-
335	344.6	7	4040	213	279	55.5	102	55.5	210
355	364.6	7	4040	213	299	55.5	102	55.5	210
375	384.6	7	4545	213	319	49.5	114	49.5	240
400	409.6	7	4545	213	344	49.5	114	49.5	240
425	434.6	7	4545	213	369	49.5	114	49.5	240
450	459.6	7	5050	213	394	43	127	43	265
475	484.6	7	5050	213	419	43	127	43	265
500	509.6	7	5050	213	444	43	127	43	265
530	539.6	7	5050	213	474	43	127	43	265
560	569.6	5	5050	213	504	43	127	43	265
630	639.6	5	5050	213	574	43	127	43	265
710	719.6	5	5050	213	654	43	127	43	265
800	809.6	5	5050	213	744	43	127	43	265
1000	1009.6	5	5050	213	944	43	127	43	265
1250	1259.6	5	5050	213	1194	43	127	43	265
710	719.6	5	5050	162	654	17,5	127	17,5	265
800	809.6	5	5050	162	744	17,5	127	17,5	265
1000	1009.6	5	5050	162	944	17,5	127	17,5	265
1250	1259.6	5	5050	162	1194	17,5	127	17,5	265



SPC / 10

ANMA ÇAPİ (PD)	DIŞ ÇAP (OD)	KASNAK TİPİ PULLEY TYPE	BURÇ NO BUSH NO	F	G	K	L	M	H
mm	mm			mm	mm	mm	mm	mm	mm
224	233.6	3	4040	264	168	81	102	81	-
236	245.6	3	4040	264	180	81	102	81	-
250	259.6	3	4040	264	194	81	102	81	-
265	274.6	3	4040	264	209	81	102	81	-
280	289.6	3	4040	264	224	81	102	81	-
300	309.6	3	4545	264	244	75	114	75	-
315	324.6	3	4545	264	259	75	114	75	-
335	344.6	3	4545	264	279	75	114	75	-
355	364.6	3	4545	264	299	75	114	75	-
375	384.6	3	5050	264	319	68.5	127	68.5	-
400	409.6	7	5050	264	344	68.5	127	68.5	265
425	434.6	7	5050	264	369	68.5	127	68.5	265
450	459.6	7	5050	264	394	68.5	127	68.5	265
475	484.6	7	5050	264	419	68.5	127	68.5	265
500	509.6	7	5050	264	444	68.5	127	68.5	265
530	539.6	7	5050	264	474	68.5	127	68.5	265
560	569.6	5	5050	264	504	68.5	127	68.5	265
630	639.6	5	5050	264	574	68.5	127	68.5	265
710	719.6	5	5050	264	654	68.5	127	68.5	265
800	809.6	5	5050	264	744	68.5	127	68.5	265
1000	1009.6	5	5050	264	944	68.5	127	68.5	265
1250	1259.6	5	5050	264	1194	68.5	127	68.5	265